


RITIRO MEDIO



PS	0.5%
PS + 30% Fibre Vetro	0.15%
SAN	0.5%
SAN + 30% Fibre Vetro	0.15%
ABS	0.5%
ABS + 30% Fibre Vetro	0.15%
ABS + 30% Sfere Vetro	0.4%
PC	0.6%
PC + 30% Fibre Vetro	0.3%
PPSu	0.7%
PPSu + 30% Fibre Vetro	0.25%
PPOm	0.6%
PPOm + 30% Fibre Vetro	0.25%
PA6	1.3%
PA66	1.8%
PA66 + 30% cariche minerali	1.2%
PA66 + 30% Fibre Vetro	0.5%
PA66 + 30% Sfere Vetro	0.4%
PA12	1.2%
PP	2.0%
PP + 30% cariche minerali	0.9%
PP + 30% Fibre Vetro	0.5%
PP + 30% Sfere Vetro	0.9%
POM	2.0%
POM + 30% Fibre Vetro	0.7%
POM + 30% Sfere Vetro	1.4%
PBT	2.0%